

# FOTO

SELECTION 2006

ZERO®

Design Thomas Bernstrand & Mattias Ståhlbom.

Floor lamp with adjustable spotlight. Swivelling and telescopic stem.

Die-casted aluminium, finished white. HF ballast as standard.

Also available as wall and pendant fixture.

LIGHTSOURCE	MODEL	ART NO
18W/Gx24q-2	Floor	7650-1-01
18W/Gx24q-2	Pendant	7652-1-01
18W/Gx24q-2	Wall	7651-1-01



# CLAM

Design pelikan copenhagen.

Pendant in grey painted steel. Shade in matt opal glass or matt acrylic.

1,7m wire pendant. Available in two sizes. HF ballast as standard.

LIGHTSOURCE	SIZE	SHADE	ART NO
2x26-42W/Gx24q	500	Glass	7540-1-21
2x42W/Gx24q-4	500	Glass	7540-1-21HFF
2x26-42W/Gx24q	500	Acrylic	7540-1-27
2x42W/Gx24q-4	500	Acrylic	7540-1-27HFF
4x26-32W/Gx24q	650	Glass	7540-3-21
4x42W/Gx24q-4	650	Glass	7540-3-21HFF
4x26-42W/Gx24q	650	Acrylic	7540-3-27
4x42W/Gx24q	650	Acrylic	7540-3-27HFF

HFF = Dimmable ballast. Tridonic ECO, dimmable with SwitchDim.





Design Bengt Källgren.

Pendant, table and floor lamp in white painted steel and aluminium.

HF ballast as standard. Pendant fixture with 1,7 m wire pendant.

Table lamp swivels and is available in two sizes.

Floor lamp swivels and has telescopic stem.

LIGHTSOURCE	MODEL	MEASURE	ART NO
2x36W/2G11	Pendant	L1500	<b>7664-3-01</b>
2x36W/2G11	Pendant	L1500	<b>7664-3-01HFF</b>
2x36W/2G11+2x40W/G9	Pendant with shades	L1500	<b>7665-3-01</b>
2x36W/2G11+2x40W/G9	Pendant with shades	L1500	<b>7665-3-01HFF</b>
18W/2G11	Table	H470	<b>7660-3-01</b>
24W/2G11	Table	H470	<b>7660-5-01</b>
18W/2G11	Floor	H1150	<b>7663-3-01</b>

HFF = Dimmable ballast. Tridonic ECO, dimmable with SwitchDim.

# MIMMI

Design pelikan copenhagen.

Pendant fixture in grey painted steel. Shade in white pleated polyester.  
1,7 m wire pendant. Diffuser in matt opal acrylic. HF ballast as standard.

LIGHTSOURCE	L	H	ART NO
2x28W/T5	1430	75	4401-3-35
2x28W/T5	1430	75	4401-3-35HFF

HFF = Dimmable ballast. Tridonic ECO, dimmable with SwitchDim.

# GENUA

Design Per Sundstedt & Mårten Cyrén.

Pendant fixture in grey painted steel. Shade in white sail-cloth. With one  
T5 lamp for general light and 3 x spotlamp for direct light. 1,7 m wire pendant.  
HF ballast as standard.

LIGHTSOURCE	L	D	ART NO
1x21 W+3x50W/GZ10	1200	200	7716-1-24
1x21 W+3x50W/GZ10	1200	200	7716-1-24HFF

HFF = Dimmable ballast for T5. Tridonic ECO, dimmable with SwitchDim.

# LIGHT-WAY

Design Björn Dahlström.

Pendant fixture in white painted steel. Other colours on request. Diffuser in matt acrylic. With round or rectangular light openings. 1,7 m wire pendant.

## ROUND LIGHT OPENING

LIGHTSOURCE	L	W	ART NO
2x28W/T5	1200	270	7570-5-01
2x28W/T5	1200	270	7570-5-01HFF
2x35W/T5	1500	270	7570-7-01
2x35W/T5	1500	270	7570-7-01HFF

## RECTANGULAR LIGHT OPENING

2x28W/T5	1200	270	7571-5-01
2x28W/T5	1200	270	7571-5-01HFF
2x35W/T5	1500	270	7571-7-01
2x35W/T5	1500	270	7571-7-01HFF

HFF = Dimmable ballast for T5. Tridonic ECO, dimmable with SwitchDim.

## WITH TWO DOWNLIGHTS

2x75W/G53	600	270	7573-3-01
-----------	-----	-----	-----------

## ACCESSORIES

90° angle			97570-1-01
Straight connector			97572-1-01
Height connector			97573-1-01

SELECTION 2006

ZERO®





## VIVA

Design Per Sundstedt.

Pendant fixture in anodized aluminium with rigid louvre. Compact profile - width 126 mm and height 44 mm. 1,7 m wire pendant. Available with single pull-switch (on and off) and double pull-switch (direct and indirect light).

LIGHTSOURCE	LENGHT	PULL-SWITCH	ART NO
2x28W/T5	1256	-	7025-3-38
2x28W/T5	1256	-	7025-3-38HFF
2x28W/T5	1256	Single	7026-3-38
2x28W/T5	1256	Double	7027-3-38
2x35W/T5	1556	-	7025-5-38
2x35W/T5	1556	-	7025-5-38HFF
2x35W/T5	1556	Single	7026-5-38
2x35W/T5	1556	Double	7027-5-38

HFF = Dimmable ballast. Tridonic ECO, dimmable with SwitchDim.

## W-IN



Design Henrik Schulz & Jacob Sahlqvist, Wingårdhs Arkitekter.

Pendant in clear och laquered acrylic, grey or dark grey. 1,7 m wire pendant. Diameter 524 mm.

LIGHTSOURCE	FINISH	ART NO
70W/G12 Metal halide	Transparent	7670-1-18
70W/G12 Metal halide	Grey	7670-1-13
70W/G12 Metal halide	Darkgrey	7670-1-05
150W/G12 Metal halide	Transparent	7671-1-18
150W/G12 Metal halide	Grey	7671-1-13
150W/G12 Metal halide	Darkgrey	7671-1-05
26-42W/Gx24q Compact fluorescent	Transparent	7672-1-18
42W/Gx24q Compact fluorescent	Transparent	7672-1-18HFF
26-42W/Gx24q Compact fluorescent	Grey	7672-1-13
42W/Gx24q Compact fluorescent	Grey	7672-1-13HFF
26-42W/Gx24q Compact fluorescent	Darkgrey	7672-1-05
42W/Gx24q Compact fluorescent	Darkgrey	7672-1-05HFF
150W/E27 Incandescent	Transparent	7673-1-18
150W/E27 Incandescent	Grey	7673-1-13
150W/E27 Incandescent	Darkgrey	7673-1-05

HFF = Dimmable ballast. Tridonic ECO, dimmable with SwitchDim.

# CAN

SELECTION 2006

ZERO®

Design Mattias Ståhlbom.

Floor, pendant and table fixture in white or black painted steel. Inside in white, or yellow. Diameter 380 mm. Floor fixture in high 1975 mm and table fixture 375 mm.

Penandt with 2 m cable.

LIGHTSOURCE	MODEL	OUTSIDE/INSIDE	ART NO
75W/E27	Floor	White/Yellow	7512-1-01
18W/Gx24q-2	Floor	White/Yellow	7613-1-01
75W/E27	Floor	White/white	7517-1-01
18W/Gx24q-2	Floor	White/white	7627-1-01
75W/E27	Floor	Black/Yellow	7512-1-06
18W/Gx24q-2	Floor	Black/Yellow	7613-1-06

LIGHTSOURCE	MODEL	OUTSIDE/INSIDE	ART NO
75W/E27	Pendant	White/Yellow	7510-1-01
18W/Gx24q-2	Penandt	White/Yellow	7622-1-01
75W/E27	Pendant	White/white	7516-1-01
18W/Gx24q-2	Penandt	White/white	7626-1-01
75W/E27	Pendant	Black/Yellow	7510-1-06
18W/Gx24q-2	Penandt	Black/Yellow	7622-1-06

LIGHTSOURCE	MODEL	OUTSIDE/INSIDE	ART NO
75W/E27	Tabel	White/Yellow	7514-1-01
18W/Gx24q-2	Table	White/Yellow	7625-1-01
75W/E27	Table	White/white	7518-1-01
18W/Gx24q-2	Table	White/white	7628-1-01
75W/E27	Table	Black/Yellow	7514-1-06
18W/Gx24q-2	Table	Black/Yellow	7625-1-06





Design Thomas Bernstrand.

Floor, wall, table and pendant fixture in painted aluminium and steel. With hidden light source behind opal acrylic.

#### PENDANT

LIGHTSOURCE	FINISH	D	H	ART NO
2x26-32W/Gx24q-3	White	300	320	<b>7380-1-01</b>
2x26-32W/Gx24q-3	White	300	320	<b>7380-1-01HFF</b>
2x26-32W/Gx24q-3	Black	300	320	<b>7380-1-06</b>
2x26-32W/Gx24q-3	Black	300	320	<b>7380-1-06HFF</b>
2x26-32W/Gx24q-3	Grey	300	320	<b>7380-1-11</b>
2x26-32W/Gx24q-3	Grey	300	320	<b>7380-1-11HFF</b>
1x7W/Gx53	White	130	137	<b>7489-1-01</b>
1x7W/Gx53	Black	130	137	<b>7489-1-06</b>
1x7W/Gx53	Grey	130	137	<b>7489-1-11</b>

HFF = Dimmable ballast. Tridonic ECO, dimmable with SwitchDim.

#### WALL

LIGHTSOURCE	FINISH	D	H	ART NO
1x7W/Gx53	White	130	217	<b>7497-1-01</b>
1x7W/Gx53	Black	130	217	<b>7497-1-06</b>
1x7W/Gx53	Grey	130	217	<b>7497-1-11</b>

#### TABLE

LIGHTSOURCE	FINISH	D	H	ART NO
1x7W/Gx53	White	130	567	<b>7499-1-01</b>
1x7W/Gx53	Black	130	567	<b>7499-1-06</b>
1x7W/Gx53	Grey	130	567	<b>7499-1-11</b>

#### FLOOR

LIGHTSOURCE	FINISH	D	H	ART NO
2x26-32W/Gx24q-3	White	300	1865	<b>7382-1-01</b>
2x26-32W/Gx24q-3	Black	300	1865	<b>7382-1-06</b>
2x26-32W/Gx24q-3	Grey	300	1865	<b>7382-1-11</b>
1x7W/Gx53	White	130	1600	<b>7484-1-01</b>
1x7W/Gx53	Black	130	1600	<b>7484-1-06</b>
1x7W/Gx53	Grey	130	1600	<b>7484-1-11</b>

HFF = Dimmable ballast. Tridonic ECO, dimmable with SwitchDim.



# ALLRIGHT

SELECTION 2006

ZERO®

Design Per Sundstedt.

Ceiling and wall fixture in anodized aluminium. Diffuser in matt acrylic.

HF ballast as standard. Wall fixtures are also available as bathroom and outdoor fixtures.

## CEILING

LIGHTSOURCE	D	H	IP	ART NO
1x 18W/Gx24q-2	180	111	20	7415-1-38
4x 18W/Gx24q-2	400	105	20	7415-3-38
4x 18W/Gx24q-2	400	105	20	7415-3-38HFF

HFF = Dimmable ballast. Tridonic ECO, dimmable with SwitchDim.

## WALL, BATHROOM, OUTDOOR

LIGHTSOURCE	W	H	IP	ART NO
1x 18W/Gx24q-2	260	90	20	7413-1-38
2x 18W/Gx24q-2	350	90	20	7413-3-38
1x 18W/Gx24q-2	260	90	23	7416-1-38
2x 18W/Gx24q-2	350	90	23	7416-3-38
1x60W/E27	350	90	20	7418-3-38
1x60W/E27	350	90	23	7419-3-38



# STREAM

Design R. Aosta, Anders Broing.

White painted steel. Diffuser in matt glass. For recessed mounting.

LIGHTSOURCE	L	W	H	ART NO
14W/T5	586	84/60	92	7520-1-01
14W/T5	586	84/60	92	7520-1-01HFF
21W/T5	886	84/60	92	7520-3-01
21W/T5	886	84/60	92	7520-3-01HFF
28W/T5	886	84/60	92	7520-5-01
28W/T5	886	84/60	92	7520-5-01HFF
35W/T5	886	84/60	92	7520-7-01
35W/T5	886	84/60	92	7520-7-01HFF

HFF = Dimmable ballast Tridonic ECO, dimmable with SwitchDIM.

## ACCESSORIES

Straight connector	97520-1-01
Endpanel (2pcs/row)	97521-1-01







Design Mattias Ståhlbom.

Pendant fixture in white, grey or black painted metal tread. 2m cable.

Diameter 490 mm, height 215 mm.

LIGHTSOURCE	FINISH	ART NO
60W/E27	White	7436-1-01
60W/E27	Black	7436-1-06
60W/E27	Grey	7436-1-11

See all our products on [www.zero.se](http://www.zero.se)

